



MATERIAL SAFETY DATA SHEET

Bio-Dex Enzyme Oil-Out

Section 1 – Chemical Product & Company Identification

Trade Name: Bio-Dex Enzyme Oil-Out

Chemical Family: Mixture

Product Description: A biodegradable enzyme water treatment for commercial and residential pools & spas.

Manufacturer: Bio-Dex Laboratories, LLC
4212 W Innovative Dr.
Phoenix, Arizona 85086

Technical Support: 623-582-2400

Emergency: 800-424-9300

Issue Date: 1/01/2026

Supersedes Date: 1/3/2010

Section 2 – Hazards Identification

Emergency overview: Avoid contact with eyes. Mild skin irritation.

Potential health effects:

Eyes: Contact with eyes can cause severe irritation.

Skin: May cause irritation upon prolonged contact.

Inhalation: Unknown

Ingestion: May cause irritation to the mouth and throat. May cause nausea.

Section 3 – Composition / Information on Ingredients

Components	CAS #	Percent
------------	-------	---------

Bio-Dex Enzyme Oil-Out is a proprietary composition "not considered hazardous" under the OSHA Hazard Communication Standard CFR Title 29 1910.1200

Section 4 – First Aid Measures

First aid procedures

- Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
- Skin Contact:** Flush skin with large amounts of water. Remove any contaminated clothing and wash before reusing. Seek medical attention if irritation occurs.
- Inhalation:** If symptoms are experienced, remove source of contamination and/or move victim to fresh air. If breathing is difficult, have trained personnel administer oxygen. If respiration stops, trained personnel administer artificial respiration. Get medical attention immediately.
- Ingestion:** Give large amounts of water. Do not induce vomiting. If spontaneous vomiting is inevitable, prevent aspiration by keeping victim's head below the knees. Get immediate medical attention.

Section 5 – Fire Fighting Measures

- Flash Point:** None
- Extinguishing Media:** Water fog or fine spray, carbon dioxide, dry chemical or foam.
- Fire fighting Protection:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 – Accidental Release Measures

- Personal Precautions:** Isolate area. Keep unnecessary personnel away. Keep out of low areas. Ventilate closed spaces before entering.
- Environmental Precautions:** Prevent further leakage or spillage if safe to do so.
- Methods for Containment:** Prevent entry into waterways, sewers, basements or confined areas.
- Methods for Clean-up:** Wear appropriate protective equipment and clothing during clean-up.
- Large spill: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place it into a container for later disposal. Dispose in accordance with all local, state and federal regulations.
- Small spill: Follow same procedure as above.

Section 7 – Handling and Storage

Handling: Avoid contact with skin and eyes. Wash hands thoroughly after handling.

Storage: Store this product below 120°F (49°C), preferably below 75°F (24°C), in a cool, dry, well-ventilated area away from heat, sparks, flame, oxidizers and out of direct sunlight. For best results, use within 12 months.

Section 8 – Exposure Controls, Personal Protection

Personal Protection

General: Eye wash fountain is recommended.

Eyes: Wear chemical goggles.

Skin: Wear suitable protective clothing. Use impervious gloves

Section 9 – Physical & Chemical Properties

Vapor Pressure:	<0.01 mm Hg 68 F (20° C)
Vapor Density (air = 1):	Same as water
Specific Gravity:	~1.01 – 1.02 @ 77° F (25° C)
Solubility in water:	Complete
VOC:	Negligible
Appearance:	Translucent amber liquid
pH:	3.8 – 4.2 @ 77° F (25° C)
Boiling Point:	> 212° F (100° C)
Flash Point:	None
Freezing Point:	< 32° F (0° C)
Evaporation Rate:	<0.01 *N-butyl acetate = 1
Weight:	8.4 – 8.5 lbs. /gallon
Odor:	Mild

Section 10 – Stability & Reactivity

Chemical Stability: Stable at normal conditions.

Incompatible Materials: Strong oxidizing agents, alkalis

Hazardous Decomposition Products: None known.

Conditions to avoid: See Section 7.

Hazardous Polymerization: Will not occur.

Section 11 – Toxicology Information

Toxicology data: Not available.

Section 12 – Ecological Information

Ecotoxicity: Readily biodegradable.

48 hr. LC50	<i>D. pulex</i> (daphnia)	49 mg/l
96 hr. LC50	<i>P. promelas</i> (fathead minnow)	83.5 mg/l

Section 13 – Disposal Considerations

Disposal instructions: Dispose in accordance with all applicable regulations. All wastes must be handled in accordance with local, state and federal regulations. Regulations vary.

Section 14 – Transportation Information

General information: Non-hazardous.

US DOT: Not regulated.

Proper Shipping Description: NMFC 48580.3 Cleaning/Scouring/Wash Comp
Class 55

Section 15 – Regulatory Information

TSCA Inventory Status: This product and/or all of its components are included either on or exempt from the TSCA Inventory of Chemical Substances.

DSL (Canada): This product and/or all of its components are either included on or exempt from the Domestic Substances List.

Section 16 – Other Information

HMIS ratings: Health: 1
Flammability: 0
Physical hazard: 0

NFPA ratings: Health: 1
Flammability: 0
Reactivity: 0

Disclaimer: The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Bio-Dex Laboratories, LLC assumes no responsibility for personal injury or property damage to the Users or Third Parties caused by the material. Such Users assume all risks associated with use of this material.

